

In accordance with REACH Regulation EC No.1907/2006

Product: Marine Fragrance Oil FRAG0880

Version: 3

Section 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

 Product identifier:
 Marine Fragrance Oil FRAG0880(Contains:4-tert-Butylcyclohexyl acetate, 7-Methyl-2H-benzo-1,5-dioxepin-3(4H)-one, Linalool, alpha-Hexylcinnamaldehyde)

 Other identifiers:
 None

 Unique Formula Identifier (UFI):
 RJE2-R02U-D00G-51FA

1.2 Relevant identified uses of the substance of mixture and uses advised against

Product uses: Fragrances

1.3 Details of the supplier of the safety data sheet

| Company name: | Candle Shack Limited |
|------------------------------|---|
| Company address: Contact: | Unit A West Carron Works Stenhouse Rd Carron Stirlingshire FK2 8DR Regulatory Affairs |
| E-Mail address: | regulatory@candle-shack.co.uk |
| Company phone: | 01324 227354 |
| 1.4 Emergency telepho | one number |

Emergency phone: 01324 227354

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Classification under Regulation (EC) No 1272/2008

| Class and category of | Skin Corrosion / Irritation Category 2 |
|-----------------------|--|
| danger: | Eye Damage / Irritation Category 1 |
| | Sensitization - Skin Category 1 |
| | Hazardous to the Aquatic Environment - Long-term Hazard Category 2 |
| | H315, Causes skin irritation. |
| | H317, May cause an allergic skin reaction. |
| | H318, Causes serious eye damage. |
| | H411, Toxic to aquatic life with long lasting effects. |

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

- Product: Marine Fragrance Oil FRAG0880
- Version: 3
- 2.2 Label elements

| | Classification under Regulation (EC) No 1272/2008 |
|------------------------------|--|
| Signal word: | Danger |
| Hazard statements: | H315, Causes skin irritation. H317, May cause an allergic skin reaction. H318, Causes serious eye damage. H411, Toxic to aquatic life with long lasting effects. |
| Supplemental Information: | EUH208, Contains 1-(2,2,6-Trimethylcyclohexyl)-3-hexanol, 2,4-Dimethyl-3-cyclohexen-1- carboxaldehyde, 2,6-Dimethyl-5-heptenal, Cedrol methyl ether, Citronellyl formate, Geraniol, Geranyl formate, Hydroxycitronellal, Isohexenyl cyclohexenyl carboxaldehyde, Linalyl acetate, beta-Pinene, cis-4-(Isopropyl)cyclohexanemethanol, d-Limonene, dl-Citronellol, I-Menthone. May produce an allergic reaction. |
| Precautionary statements: | P261, Avoid breathing vapour or dust. P264, Wash hands and other contacted skin thoroughly after handling. P272, Contaminated work clothing should not be allowed out of the workplace. P273, Avoid release to the environment. P280, Wear protective gloves/eye protection/face protection. P302/352, IF ON SKIN: Wash with plenty of soap and water. P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310, Immediately call a POISON CENTER or doctor/physician. P333/313, If skin irritation or rash occurs: Get medical advice/attention. P362, Take off contaminated clothing and wash before reuse. P391, Collect spillage. P501, Dispose of contents/container to approved disposal site, in accordance with local regulations. |
| Pictograms: | |
| 2.3 Other hazards | |
| Other hazards: | None |



In accordance with REACH Regulation EC No.1907/2006

Product: Marine Fragrance Oil FRAG0880

Version: 3

Section 3. Composition / information on ingredients

3.2 Mixtures

Contains:

| Name | CAS | EC | REACH Registration No. | % | Classification for (CLP) 1272/2008 |
|---|------------|-----------|---------------------------|---------|--|
| alpha- Hexylcinnamaldehyde | 101-86-0 | 202-983-3 | | 10-<20% | Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 2;H317-H400- H411,- |
| Linalool | 78-70-6 | 201-134-4 | | 10-<20% | Skin Irrit. 2-Eye Irrit. 2- Skin Sens. 1B;H315- H317-H319,- |
| 4-tert-Butylcyclohexyl acetate | 32210-23-4 | 250-954-9 | | 5-<10% | Skin Sens. 1B;H317,- |
| 7-Methyl-2H-benzo-1,5- dioxepin-3(4H)-one | 28940-11-6 | 249-320-4 | | 1-<5% | Skin Corr. 1B-Eye Dam. 1-STOT SE 3; H314-H336,- |
| 2-Isobutyl-4- methyltetrahydro-2H- pyran-4-ol | 63500-71-0 | 405-040-6 | | 1-<5% | Eye Irrit. 2;H319,- |
| dl-Citronellol | 106-22-9 | 203-375-0 | | 1-<5% | Skin Irrit. 2-Eye Irrit. 2- Skin Sens. 1B;H315- H317-H319,- |
| Hydroxycitronellol | 107-74-4 | 203-517-1 | | 1-<5% | Eye Irrit. 2;H319,- |
| Cedrol methyl ether | 19870-74-7 | 243-384-7 | | 1-<5% | Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 1;H317-H410,- |
| beta-lonone | 14901-07-6 | 238-969-9 | | 1-<5% | Aquatic Chronic 2; H411,- |
| gamma-Undecalactone | 104-67-6 | 203-225-4 | | 1-<5% | Aquatic Chronic 3; H412,- |
| Linalyl acetate | 115-95-7 | 204-116-4 | | 1-<5% | Skin Irrit. 2-Skin Sens. 1B;H315-H317,- |
| Hydroxycitronellal | 107-75-5 | 203-518-7 | | 1-<5% | Eye Irrit. 2-Skin Sens. 1B;H317-H319,- |
| d-Limonene | 5989-27-5 | 227-813-5 | | 1-<5% | Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1- Aquatic Chronic 1; H226-H304-H315- H317-H410,- |
| 1-(2,2,6- Trimethylcyclohexyl)-3- hexanol | 70788-30-6 | 942-425-2 | | 1-<5% | Skin Sens. 1B;H317,- |
| cis-4-(Isopropyl) cyclohexanemethanol | 13828-37-0 | 939-719-8 | | 0.1-<1% | Skin Irrit. 2-Skin Sens. 1B;H315-H317,- |
| 2,4-Dimethyl-3- cyclohexen-1- carboxaldehyde | 68039-49-6 | 939-604-2 | | 0.1-<1% | Skin Irrit. 2-Eye Irrit. 2- Skin Sens. 1B-Aquatic Chronic 2;H315-H317- H319-H411,- |
| 2,6-Dimethyl-5-heptenal | 106-72-9 | 203-427-2 | | 0.1-<1% | Flam. Liq. 3-Skin Sens. 1B;H226-H317,- |
| Citronellyl formate | 105-85-1 | 203-338-9 | | 0.1-<1% | Skin Irrit. 2-Skin Sens. 1B;H315-H317,- |
| Geraniol | 106-24-1 | 203-377-1 | | 0.1-<1% | Skin Irrit. 2-Eye Dam. 1-Skin Sens. 1B;H315- H317-H318,- |
| beta-Pinene | 127-91-3 | 204-872-5 | | 0.1-<1% | Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1- Aquatic Chronic 1; H226-H304-H315- H317-H410,- |

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Marine Fragrance Oil FRAG0880

Version: 3

| p-Mentha-1,4-diene | 99-85-4 | 202-794-6 | 0.1-<1% | Flam. Liq. 3-Repr. 2- Asp. Tox 1;H226-H304- H361,- |
|---|------------|-----------|---------|---|
| I-Menthone | 14073-97-3 | 237-926-1 | 0.1-<1% | Skin Irrit. 2-Skin Sens. 1B;H315-H317,- |
| Geranyl formate | 105-86-2 | 203-339-4 | 0.1-<1% | Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 2;H317-H400- H411,- |
| lsohexenyl cyclohexenyl carboxaldehyde | 37677-14-8 | 253-617-4 | 0.1-<1% | Skin Irrit. 2-Eye Dam. 1-Skin Sens. 1B- Aquatic Acute 1- Aquatic Chronic 1; H315-H317-H318- H410,- |

Substances with Community workplace exposure limits:

| Name | CAS | EC | REACH Registration No. | % | Classification for (CLP) 1272/2008 |
|-------------------|---------|-----------|---------------------------|---------|---------------------------------------|
| Diethyl phthalate | 84-66-2 | 201-550-6 | | 20-<50% | -;-,- |

Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:

Not Applicable

Section 4. First-aid measures

4.1 Description of first aid measures

| Inhalation: | Remove from exposure site to fresh air, keep at rest, and obtain medical attention. |
|----------------|--|
| Eye exposure: | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| Skin exposure: | IF ON SKIN: Wash with plenty of soap and water. |
| Ingestion: | Rinse mouth with water and obtain medical attention. |

4.2 Most important symptoms and effects, both acute and delayed

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye damage.

4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.



In accordance with REACH Regulation EC No.1907/2006

Product: Marine Fragrance Oil FRAG0880

Version: 3

5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

6.4 Reference to other sections:

Also refer to sections 8 and 13.

Section 7. Handling and storage

7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits:



In accordance with REACH Regulation EC No.1907/2006

Product: Marine Fragrance Oil FRAG0880

Version: 3

| Ingredient | CAS | EC | Description | Value |
|-------------------|---------|-----------|------------------------|----------|
| Diathul aktholata | 84-66-2 | | UK WEL Long term mgm3 | 5 mg/m³ |
| Diethyl phthalate | 04-00-2 | 201-550-6 | UK WEL Short term mgm3 | 10 mg/m³ |

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

| Not determined |
|--|
| Not determined |
| > 70 °C |
| Not determined |
| Not determined |
| Product does not present an explosion hazard |
| Not determined |
| |

Page 7 (10) Issue date: 23/09/2021 Version: 3 (23/09/2021)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

| Product: | Marine Fragrance Oil FRAG0880 | |
|-----------------------|-------------------------------|----------------|
| Version: | 3 | |
| Viscosity: | | Not determined |
| Explosive pro | perties: | Not expected |
| Oxidising properties: | | Not expected |

9.2 Other information:

None available

Section 10. Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:

Good stability under normal storage conditions.

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.

Section 11. Toxicological information

11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

| Acute Toxicity: | Based on available data the classification criteria are not met. |
|------------------------------------|--|
| Acute Toxicity Oral | >5000 |
| Acute Toxicity Dermal | >5000 |
| Acute Toxicity Inhalation | Not Available |
| Skin corrosion/irritation: | Skin Corrosion / Irritation Category 2 |
| Serious eye damage/irritation: | Eye Damage / Irritation Category 1 |
| Respiratory or skin sensitisation: | Sensitization - Skin Category 1 |
| Germ cell mutagenicity: | Based on available data the classification criteria are not met. |
| Carcinogenicity: | Based on available data the classification criteria are not met. |
| Reproductive toxicity: | Based on available data the classification criteria are not met. |
| STOT-single exposure: | Based on available data the classification criteria are not met. |
| STOT-repeated exposure: | Based on available data the classification criteria are not met. |
| Aspiration hazard: | Based on available data the classification criteria are not met. |

Page 8 (10) Issue date: 23/09/2021 Version: 3 (23/09/2021)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Marine Fragrance Oil FRAG0880

Version: 3

Information about hazardous ingredients in the mixture

Not Applicable

Refer to Sections 2 and 3 for additional information.

Section 12. Ecological information

12.1 Toxicity:

Toxic to aquatic life with long lasting effects.12.2 Persistence and degradability:Not available12.3 Bioaccumulative potential:Not available12.4 Mobility in soil:Not available12.5 Results of PBT and vPvB assessment:Not availableThis substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6 Other adverse effects: Not available

Section 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14. Transport information

| 14.1 UN number: | UN3082 |
|---------------------------------------|--|
| 14.2 UN Proper Shipping Name: | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Cedrol methyl ether, alpha-Hexylcinnamaldehyde) |
| 14.3 Transport hazard class(es): | 9 |
| Sub Risk: | - |
| 14.4. Packing Group: | III |
| 14.5 Environmental hazards: | This is an environmentally hazardous substance. |
| 14.6 Special precautions for user: | None additional |
| 14.7 Transport in bulk according to A | nney II of MARPOI 73/78 and the IBC Code: |

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not applicable

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture None additional

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

Section 16. Other information

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Marine Fragrance Oil FRAG0880

Version: 3

Concentration % Limits:

EH C2=46.82% EH C3=4.67% EH C4=99.25% SCI 2=15.89% EDI 1=63. 16% EDI 2=14.22% SS 1=5.26%

Total Fractional Values:

16% EDI 2=14.22% SS 1=5.26% EH C2=2.14 EH C3=21.42 EH C4=1.01 SCI 2=6.30 EDI 1=1.58 EDI 2=7. 03 SS 1=19.00

Key to revisions:

14.2. UN proper shipping name
Classification under Regulation (EC) No 1272/2008
Classification under Regulation (EC) No 1272/2008
Concentration % Limits
Information about hazardous ingredients in the mixture
Product identifier
SECTION 3: Composition/information on ingredients
Total Fractional Values
Workplace exposure limits

Key to abbreviations:

| Abbreviation | Meaning |
|-------------------|---|
| Aquatic Acute 1 | Hazardous to the Aquatic Environment - Acute Hazard Category 1 |
| Aquatic Chronic 1 | Hazardous to the Aquatic Environment - Long-term Hazard Category 1 |
| Aquatic Chronic 2 | Hazardous to the Aquatic Environment - Long-term Hazard Category 2 |
| Aquatic Chronic 3 | Hazardous to the Aquatic Environment - Long-term Hazard Category 3 |
| Asp. Tox 1 | Aspiration Hazard Category 1 |
| Eye Dam. 1 | Eye Damage / Irritation Category 1 |
| Eye Irrit. 2 | Eye Damage / Irritation Category 2 |
| Flam. Liq. 3 | Flammable Liquid, Hazard Category 3 |
| H226 | Flammable liquid and vapour. |
| H304 | May be fatal if swallowed and enters airways. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H336 | May cause drowsiness or dizziness. |
| H361 | Suspected of damaging fertility or the unborn child (exposure route). |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |
| P202 | Do not handle until all safety precautions have been read and understood. |
| P210 | Keep away from heat, sparks, open flames and hot surfaces No smoking. |
| P233 | Keep container tightly closed. |

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Version:

3

| P240 | Ground/bond container and receiving equipment. |
|---------------|--|
| P241 | Use explosion-proof electrical, ventilating and lighting equipment. |
| P242 | Use only non-sparking tools. |
| P243 | Take precautionary measures against static discharge. |
| P260 | Do not breathe vapour or dust. |
| P261 | Avoid breathing vapour or dust. |
| P264 | Wash hands and other contacted skin thoroughly after handling. |
| P271 | Use only outdoors or in a well-ventilated area. |
| P272 | Contaminated work clothing should not be allowed out of the workplace. |
| P273 | Avoid release to the environment. |
| P280 | Wear protective gloves/eye protection/face protection. |
| P301/310 | IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. |
| P301/330/331 | If swallowed: Rinse mouth. Do not induce vomiting. |
| P302/352 | IF ON SKIN: Wash with plenty of soap and water. |
| P303/361/353 | IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. |
| P304/340 | IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. |
| P305/351/338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P308/313 | IF exposed or concerned: Get medical advice/attention. |
| P310 | Immediately call a POISON CENTER or doctor/physician. |
| P331 | Do not induce vomiting. |
| P333/313 | If skin irritation or rash occurs: Get medical advice/attention. |
| P337/313 | If eye irritation persists: Get medical advice/attention. |
| P362 | Take off contaminated clothing and wash before reuse. |
| P363 | Wash contaminated clothing before reuse. |
| P370/378 | In case of fire: Use carbon dioxide, dry chemical, foam for extinction. |
| P391 | Collect spillage. |
| P403/233 | Store in a well-ventilated place. Keep container tightly closed. |
| P403/235 | Store in a well-ventilated place. Keep cool. |
| P405 | Store locked up. |
| P501 | Dispose of contents/container to approved disposal site, in accordance with local regulations. |
| Repr. 2 | Toxic to Reproduction Category 2 |
| STOT SE 3 | Specific Target Organ Toxicity (Single Exposure) Category 3 |
| Skin Corr. 1B | Skin Corrosion / Irritation Category 1B |
| Skin Irrit. 2 | Skin Corrosion / Irritation Category 2 |
| Skin Sens. 1B | Sensitization - Skin Category 1B |

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.